



TAI MOISTURE CONVERSION TABLE

Deg C	Deg F	PPM on Vol Basis at 760 mm of Hg Press	Deg C	Deg F	PPM on Vol Basis at 760 mm of Hg Press
-110	-166	0.00132	-16	3	1490
-108	-162	0.00237	-14	7	1790
-106	-159	0.00368	-12	10	2150
-104	-155	0.00566	-10	14	2570
-102	-152	0.00855	-8	18	3060
-100	-148	0.013	-6	21	3640
-98	-144	0.0197	-4	25	4320
-96	-141	0.0289	-2	28	5100
-94	-137	0.0434	0	32	6020
-92	-134	0.0632	2	36	6970
-90	-130	0.0921	4	39	8030
-88	-126	0.132	6	43	9230
-86	-123	0.184	8	46	10590
-84	-119	0.236	10	50	12120
-82	-116	0.382	12	54	13840
-80	-112	0.562	14	57	15780
-78	-108	0.737	16	61	17930
-76	-105	1.01	18	64	20370
-74	-101	1.38	20	68	23080
-72	-98	1.88	22	71.5	26088
-70	-94	2.55	24	75	29443
-68	-90	3.43	26	79	33169
-66	-87	4.59	28	82	37301
-64	-83	6.11	30	86	41874
-62	-80	8.08			
-60	-76	10.6			
-58	-72	13.9			
-56	-69	18.2			
-54	-65	23.4			
-52	-62	30.3			
-50	-58	38.3			
-48	-54	49.7			
-46	-51	63.3			
-44	-47	80			
-42	-44	101			
-40	-40	127			
-38	-36	159			
-36	-33	198			
-34	-29	246			
-32	-26	305			
-30	-22	376			
-28	-18	462			
-26	-15	566			
-24	-11	692			
-22	-8	842			
-20	-4	1020			
-18	0	1240			

TAI Moisture Conversion Table