



ISSUE NO.	APP.	ISSUE NO.	APP.
R15 WAS 1.2 7.8-26-75		CHNG'D. R1, R2, R3, R11, R12 2. 8 - 19 - 69	
ADD R25, R26 REV. A1 & A2 8. 11-4-75		CHNG'D. R1, R4, R8, R12 3. 10 - 9 - 69	
		R5 WAS 4.99K R6 WAS 549.Ω	G.S.
		4. 6-18-73	
		ADDED R14 5. 6-3-74	
		C1 & C2 WAS .0047 6. 11-27-74	
		ECO 93-073 9) 1/15/93	

**NOTES**

- \* DENOTES COMPONENT IS SELECTED PER APPLICATION:  
 A1:            R2:            R9:            R15:  
 A2:            R3:            R10:          R16:
- RESISTORS ARE 1/4W, 5% UNLESS OTHERWISE SPECIFIED.

TOLERANCE UNLESS OTHERWISE SPECIFIED	FRACT. ± 1/64	DEC. ± .003	ANGULAR ± 1/2°
<b>TELEDYNE ANALYTICAL INSTRUMENTS</b>		SCALE ~	5 - 22 - 69
A DIVISION OF TELEDYNE INC. PASADENA, CALIFORNIA		MATL:	~
<b>OXYGEN ANALYZER</b>		FINISH:	~
<b>MODEL 320B/RC</b>		DR. R.J.	ENGR. MR. APP.
<b>SCHEMATIC</b>		DWG No. B-9542	

105-125V  
50-60 Hz  
POWER  
INPUT