NOTES: UNLESS OTHERWISE SPECIFIED.
1. ALL DIMENSIONS ARE IN INCHES (±.06) AND MILLIMETERS (±1.), INCHES[mm]

5.22 [132.6]
2.25 [57.2]
Ø.22 [Ø5.6] SLOT, 4 PL.
POWER SWITCH
19.02 [483.1]
18.23 [463.0]

Teledyne Analytical Instruments

Use and Disclosure of Data
Information contained herein is classified as EAR99 under the
U.S. Export Administration Regulations.
Export, reexport or diversion contrary to U.S. law is prohibited.

16.89 [429.0]

.08 [2.0]
.95 [24.0]
14.96 [380.0]
4.90 [124.5]
.63 [16.0]

BACK VIEW OF UNIT

ANALOG OUTPUT CONNECTOR (A/O)
COMMUNICATION CONNECTOR (RS485)
ANALOG INPUT CONNECTOR (A/I)

DIGITAL INPUT/OUTPUT CONNECTOR (DIO1 to 3)
POWER IN (100V to 240V AC 50/60Hz)
FUSE
PURGE GAS INLET Rc1/4 OR 1/4 NPTF
SAMPLE GAS INLET Rc1/4 OR 1/4 NPTF
SAMPLE GAS OUTLET Rc1/4 OR 1/4 NPTF

DO NOT SCALE DWG
UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES: ANGULAR ±1/2°
LINEAR .XX = ±.1
.XXX = ±.02
.XXXX = ±.010

	SIGNATURES	DATE
DRFT:	JOHN REYES	10/20/14
CHK:		
APPR:		
ENGR:	STEVE BROY	
C.O.:	STANDARD	
CAD ID:	D92330-0	

TELEDYNE INSTRUMENTS
Analytical Instruments
A Teledyne Technologies Company
City of Industry, California, 91746, USA

TITLE
OUTLINE DIAGRAM
ANALYSIS UNIT
MODEL 7500ZA

DWG NO.
D-92330

SCALE 1:2
SIM
NONE
SHEET 1 OF 1
REV 0

N/ V/ O/ P/ F/ REFERENCE
MATL: NONE